


NORDICLINE SV8 PI

NordicLine


COSTAN 
eptarefrigeration



Product categories



Cheese



Dairy products



Pre-packed
fruit&veg



Sandwiches



Drinks



Frozen Food
and Ice cream

Technical features



Ventilated



Incorporated
condensing unit



LED lighting



Hot-gas
defrosting
system



Propane
refrigerant gas
(R290)



High efficiency
fans



ENERGY CLASS*

Products	Lenght	Picture	Temperature	Description	Dimensions (LxHxD) mm	TDA m²
NordicLine SV8 PI 140 C	60		MT	Open Chiller	595x1396x730	1.1
	90				865x1396x730	1.3
	120				195x1396x730	1.5
NordicLine SV8 PI 140 C GD	60		MT	Chiller with hinged glass doors	595x1396x730	1.1
	90				865x1396x730	1.3
	120				1195x396x730	1.5
NordicLine SV8 PI 140 C SGD	90		MT	Chiller with sliding glass doors	865x1396x730	1.3
	120				1195x396x730	1.5
NordicLine SV8 PI 140 FC GD - Freezer	60		MT/LT	Freezer/Chiller with glass doors	595x1396x730	1.1
NordicLine SV8 PI 140 C GD 45 R GREY	120		MT	Chiller 45° right corner	1195x396x730	1.5
NordicLine SV8 PI 140 C GD 45 L GREY	120			Chiller 45° left corner	195x1396x730	1.5
SV8 SU 140 D	93		Non Refrigerated	Dry shelf with 4 displays and divider	930x1396x730	-
SV8 SU 140 E	93		Non Refrigerated	Dry shelf with 3 baskets for brochures	930x1396x730	-
SV8 SU 140 F	93		Non Refrigerated	Dry shelf with 3 baskets for flowers	930x1396x730	-
SV8 SU 140 G	153		Non Refrigerated	Dry shelf heat cabinet back to back	1530x396x730	-

NORDICLINE SV8 PI

NordicLine

Product range




	SV8 PI C	SV8 PI GD/SGD	SV8 PI F/FC GD	SV8 PI C 45L/R
External length (mm)	600, 900	600, 900, 1200	600	1200
External height (mm)	1400	1400	1400	1400
External depth (mm)	700	700	700	700
Temperature range (°C)	3M2	3M0	3L1 / 3M0	3M0
Refrigerants	R290	R290	R290	R290
Energy efficiency class				

NORDICLINE SV8 PI


NordicLine

Cross section

*SV8 PI 60 140 FC
GD_Freezer_Closed*




*SV8 PI 60 140 C GD
(2 shelves) Closed*




Cross section

*SV8 PI 60 140 C GD
(3 shelves) Closed*




*SV8 PI 90 140 C GD
(2 shelves) Closed*




Cross section

*SV8 PI 90 140 C GD
(3 shelves) Closed*



*SV8 PI 120 140 C GD
(2 shelves) Closed*




NORDICLINE SV8 PI


NordicLine

Cross section

*SV8 PI 60 140 C
(2 shelves) Open*



*SV8 PI 60 140 C
(3 shelves) Open*



NordicLine

Cross section

Technical drawing of the K 1000 cabinet, showing front and side views with dimensions.


Front View Dimensions:

- Top width: 865
- Internal width: 817
- Height: 1395
- Internal height: 791

Side View Dimensions:

- Depth: 467

The drawing includes a detailed view of the cabinet's internal structure, showing multiple shelves and drawers. The drawers are labeled with numbers 1 through 10. The cabinet is shown on casters.



Technical drawing of the 791 series mobile office unit, showing front and side views with dimensions.


Front View Dimensions:

- Overall width: 865
- Internal width: 817
- Overall height: 1395
- Unit width: 791

Side View Dimensions:


- Overall depth: 467

The drawing includes a detailed front view of the unit, showing the control panel, display, and various ports. The side view shows the unit's profile and the location of the wheels.




Cross section

*SV8 PI 120 140 C
(2 shelves) Open*



*SV8 120 140 C GD 45L
(3 shelves) Closed*




NORDICLINE SV8 PI


NordicLine

Cross section

SV8 120 140 C
GD 45L Closed



SV8 120 140 C GD 45R
(3 shelves) Closed



Cross section

Sezione_SV8 120 140
C GD 45R

