

# BELUGA

Complementaries / Island  
Integral


**COSTAN**   
eptarefrigeration




BEST ENERGY CLASS\*




## Product Categories




Cheese



Dairy  
products



Delicatessen



Fish



Frozen Food  
and Ice  
cream



Meat



Sandwiches



Chicken

## Technical Features



Electric  
defrost



High  
efficiency  
fans



Incorporated  
condensing  
unit



LED lighting



R290  
Propane  
refrigerant  
gas (R290)



Static

Follow us on:     by Epta

[www.costan.com](http://www.costan.com)

## Certification and Patents



Epta  
Adamant



Epta  
DualAirflow



Epta  
FoodDefence




HighFlux


## Product Range

| BELUGA                                                                                                                           |                 |               |               |               |                        |                        |                        |                        |
|----------------------------------------------------------------------------------------------------------------------------------|-----------------|---------------|---------------|---------------|------------------------|------------------------|------------------------|------------------------|
| Length - Lunghezza<br>Longueur - Länge - Longitud<br>mm                                                                          | BELUGA LT       |               |               |               | BELUGA DUAL (LT/MT)    |                        |                        |                        |
|                                                                                                                                  | LINEAR CABINETS |               |               | HEAD CABINETS | LINEAR CABINETS        |                        |                        | HEAD CABINETS          |
|                                                                                                                                  | 1400            | 2100          | 2500          | 2130          | 1400                   | 2100                   | 2500                   | 2130                   |
|                                                                                                                                  | •               | •             | •             | •             | •                      | •                      | •                      | •                      |
| <b>Display area</b> Superficie di esposizione<br>Warenpräsentationsfläche<br>Surface d'exposition<br>Superficie expositiva<br>m2 | 1.03            | 1.56          | 1.87          | 1.44          | 1.03 (LT)<br>0.98 (MT) | 1.56 (LT)<br>1.49 (MT) | 1.87 (LT)<br>1.78 (MT) | 1.44 (LT)<br>1.37 (MT) |
| <b>Loading area</b> Superficie di appoggio<br>Nutzfläche<br>Surface de chargement<br>Superficie de apoyo<br>m2                   | 1.39            | 2.08          | 2.48          | 2.11          | 1.39                   | 2.08                   | 2.48                   | 2.11                   |
| <b>Net storage capacity</b> Capacità netta<br>Nutzinhalt<br>volume utile<br>Capacidad neta<br>dm3                                | 424             | 660           | 794           | 495           | 424 (LT)<br>264 (MT)   | 660 (LT)<br>411 (MT)   | 794 (LT)<br>425 (MT)   | 495 (LT)<br>279 (MT)   |
| <b>Dimensions</b> Dimensioni<br>Größe<br>Dimensions<br>Dimensiones<br>LxAxP mm                                                   | 1401x1025x990   | 2101x1025x990 | 2501x1025x990 | 2131x925x990  | 1401x1025x990          | 2101x1025x990          | 2501x1025x990          | 2131x925x990           |


## Cross Sections




BELUGA BT 1025




Beluga BT 925




Beluga BT EOL



Beluga DUAL 1025



Beluga Dual 925



BELUGA DUAL EOL

\*The information on the energy class (according to EU regulations 2019/2018 and EU 2019/2024) reported here refers to standard models and precise product configurations and set-ups. The site is based on the information available at the time of publication. As the energy class depends on the specific product configuration, despite the efforts made to ensure the greatest possible accuracy, the real data can differ significantly from the data declared here. For further information, we invite you to consult the European Product Database for Energy Labelling (EPREL) or to contact our Sales Office.