

BOUTIQUE

OutFit / Multideck

Chilled Vertical and Semivertical



BEST ENERGY CLASS*



Product Categories



Cheese



Delicatessen

Technical Features




Electric
defrost



High
efficiency
fans



LED lighting









Remote
condensing
unit



Ventilated

Product Range

BOUTIQUE					
Length-Lunghezza Longueur-Länge-Longitud mm			1250	1875	2500
BOUTIQUE	Closed	20	•	•	•
		22	•	•	•
	Open	20	•	•	•
		22	•	•	•
		26	•	•	•
Display area Superficie di esposizione Warenpräsentationsfläche Surface d'exposition Superficie expositiva m2	Closed	20	2.2	3.2	4.6
		22	2.7	4.2	5.6
	Open	20	2.4	3.5	4.7
		22	2.9	4.4	5.9
		26	2.9	4.4	5.9
Loading area Superficie di appoggio Nutzfläche Surface dechargement Superficie de apoyo m2	Closed	20	1.03	1.53	2.05
		22	1.03	1.53	2.05
	Open	20	1.03	1.53	2.05
		22	1.03	1.53	2.05
		26	1.03	1.53	2.05
End thickness Spessore spalla Stärke der Seitenwand Épaisseur de cheue joue Espesor lateral mm		30.00			



OutFit / Multideck

Chilled Vertical and Semivertical

Technical drawing of the interior of the KLEINER KUBUS 1330. The drawing shows the internal layout with dimensions in millimeters. The overall width is 820 mm. The interior height is 1330 mm. The depth of the unit is 600 mm. The drawing includes a top section with a height of 100 mm, a middle section with a height of 500 mm, and a bottom section with a height of 190 mm. The bottom section is divided into two parts: a left part with a height of 870 mm and a right part with a height of 440 mm. The bottom part has a width of 700 mm. The drawing also shows three shelves labeled 'OPT.' and a door with a handle.

Technical drawing of the 'Kücheninsel' (Kitchen Island) showing top and side views with dimensions.

Top View Dimensions:

- Overall width: 820
- Overall depth: 1030
- Inner width (excluding island): 600
- Island width: 870
- Island depth: 440
- Island height: 190

Side View Dimensions:

- Overall height: 1030
- Island height: 870
- Island depth: 440
- Island width: 190

The drawing includes a detailed view of the island's structure, showing a central support column and a cross-brace for stability. The island is designed to be integrated into a kitchen layout, with a central opening for access.

820

550

250

250

250

310

870

190

700

600

350 - 400

350 - 400 - 450

350 - 400 - 450

350 - 400 - 450

OPT

OPT

OPT

OPT

2570

100

870

OPT = OPTIONAL

Follow us on: by Epta

OutFit / Multideck

Chilled Vertical and Semivertical

*The information on the energy class (according to EU regulations 2019/2018 and EU 2019/2024) reported here refers to standard models and precise product configurations and set-ups. The site is based on the information available at the time of publication. As the energy class depends on the specific product configuration, despite the efforts made to ensure the greatest possible accuracy, the real data can differ significantly from the data declared here. For further information, we invite you to consult the European Product Database for Energy Labelling (EPREL) or to contact our Sales Office.