

GRANBERING NORDICLINE

NordicLine /

Frozen Horizontal, Vertical and Semivertical



BEST ENERGY CLASS*



Product Categories



Frozen Food
and Ice
cream

NordicLine I

Frozen Horizontal, Vertical and Semivertical

Technical Features




Electric
defrost



High
efficiency
fans



LED lighting



Remote
condensing
unit



Ventilated

Certification and Patents



Eurovent

Product Range

GRANBERING NORDICLINE									
Length-Lunghezza Longueur-Länge-Longitud mm			2P 1565	3P 2343	4P 3124	5P 3905	2P MT 1664	3P MT 2445	3P S MT 2025
GRANBERING NORDICLINE	2110	N	•	•	•	•	•	•	•
	2260	N	•	•	•	•	•	•	
Display area Superficie di esposizione Warenpräsentationsfläche Surface d'exposition Superficie expositiva m2	2110	N	2.50	3.70	5.00	6.20	2.50	3.70	3.00
	2260	N	2.70	4.00	5.40	6.70	2.70	4.00	
Loading area Superficie di appoggio Nutzfläche Surface de chargement Superficie de apoyo m2	2110	N	1.40	2.10	2.80	3.51	1.40	2.10	1.85
	2260	N	1.40	2.10	2.80	3.51	1.40	2.10	
Net storage capacity Capacità netta Nutzinhalt volume utile Capacidad neta dm3	2110	N	1608.90	2413.30	3217.70	4022.20	1608.90	2413.30	1980.7
	2260	N	1749.40	2624.20	3498.90	4373.60	1749.40	2624.20	
End thickness Spessore spalla Stärke der Seitenwand Épaisseur de cheue joue Espesor lateral mm			51.00				-		

