

GRANVISTA URBAN

GranFit / Multideck


Chilled Vertical and Semivertical




BEST ENERGY CLASS*




Product Categories



Cheese




Dairy products



Delicatessen




Drinks



Fruit and Vegetables



Meat



Pre-packed fish



Pre-packed fruit and vegetables



Sandwiches



Chicken

Technical Features



Electric defrost



EPTABLUÉ




High efficiency fans



LED lighting



Off-cycle defrost



Remote condensing unit



Ventilated

GRANVISTA URBAN


GranFit / Multideck

Chilled Vertical and Semivertical

Certification and Patents



Eurovent



Epta
DualAirflow




HighFlux

Product Range


GRANVISTA URBAN					
Lenght -Lunghezza Longueur-Länge-Longitud mm		1250	1875	2500	3750
Height -Altezza-Hauteur-Höhe-Altura mm		H20	H20	H20	H20
GRANVISTA URBAN	Compact	•	•	•	•
	Narrow	•	•	•	•
Dispaly area Superficie di esposizione Warenpräsentationsfläche Surface d'exposition Superficie expositiva m2	Compact	2,11	3,68	4,21	7,36
	Narrow	2,22	3,88	4,44	7,76
Loading area Superficie di appoggio Nutzfläche Surface de chargement Superficie de apoyo m2	Compact	1,35	1,60	2,70	3,20
	Narrow	1,65	1,92	2,30	3,84
End thickness Spessore spalla Stärke der Seitenwand Épaisseur de cheque joue Espesor lateral mm		30.00 (+ 35 Batticarrello/Bumper Rail/Pare-choc/Wa- genstoßleiste/Parachoques)			

Cross Sections



● Option
★ EptaBlue

Closed 20 C



● Option
★ EptaBlue

Closed 20 N

*The information on the energy class (according to EU regulations 2019/2018 and EU 2019/2024) reported here refers to standard models and precise product configurations and set-ups. The site is based on the information available at the time of publication. As the energy class depends on the specific product configuration, despite the efforts made to ensure the greatest possible accuracy, the real data can differ significantly from the data declared here. For further information, we invite you to consult the European Product Database for Energy Labelling (EPREL) or to contact our Sales Office.