

NORDICLINE FL2 AIDA

NordicLine / Serve-over counters


Serve-over




BEST ENERGY CLASS*



Product Categories



Bread



Delicatessen



Gastronomy



Pastries



Pizza



Sandwiches

Technical Features




Hot-gas
defrosting
system



LED lighting



R744



Remote
condensing
unit



Ventilated

NORDICLINE FL2 AIDA

NordicLine / Serve-over counters

Serve-over

Product Range


External length (mm)	490
External length (mm)	600, 900, 1200, 1500 (ambient)
External height (mm)	1340
External depth (mm)	755
Temperature range (°C)	Serve-over, bake-off: -1 to +7, Self service: -1 to +10 Corner unit: +4 to +8, Hot counter: +65 to +80 / +45 to 60
Energy efficiency class	  

NORDICLINE FL2 AIDA


NordicLine / Serve-over counters

Serve-over

Cross Sections




FL2 Aida SF-RG



FL2 PI Aida BO-RG

CABINET MODEL	DIMENSION
60	534
90	834
120	1134
150	1434



CABINET MODEL	LENGTH
60	600
90	900
120	1200
150	1500

FL2 Aida SO-RG

*The information on the energy class (according to EU regulations 2019/2018 and EU 2019/2024) reported here refers to standard models and precise product configurations and set-ups. The site is based on the information available at the time of publication. As the energy class depends on the specific product configuration, despite the efforts made to ensure the greatest possible accuracy, the real data can differ significantly from the data declared here. For further information, we invite you to consult the European Product Database for Energy Labelling (EPREL) or to contact our Sales Office.