

NORDICLINE IS7 - 150

NordicLine / Island


Frozen Horizontal, Vertical and Semivertical




BEST ENERGY CLASS*




Product Categories



Cheese



Dairy
products



Delicatessen



Frozen Food
and Ice
cream



Meat



Chicken

Technical Features



Electric
defrost




High
efficiency
fans




LED lighting



R744



Remote
condensing
unit



Ventilated

NORDICLINE IS7 - 150

NordicLine / Island

Frozen Horizontal, Vertical and Semivertical



Product Range


Product dim. variant	Length [mm]	Depth [mm]	Height [mm]*	Volume [dm ³] (side blow_single well)	TDA [m ²] (side blow_single well)
IS7-150-90-CE (EOL)	1480	1070	900	476	**
IS7-150-90-188	1875	1490	900	900 (968)	3,24 (3,53)
IS7-150-90-250	2500	1490	900	1200 (1290)	4,39 (4,77)
IS7-150-90-375	3750	1490	900	1800 (1935)	6,61 (7,19)

NORDICLINE IS7 - 150


NordicLine / Island

Frozen Horizontal, Vertical and Semivertical


Cross Sections




IS7-150 double chest curved glasses




IS7-150 single chest OPEN



IS7-150 single chest curved glasses



IS7-150 - EOL



IS7-150 double chest flat glasses

NORDICLINE IS7 - 150

NordicLine / Island

Frozen Horizontal, Vertical and Semivertical



*The information on the energy class (according to EU regulations 2019/2018 and EU 2019/2024) reported here refers to standard models and precise product configurations and set-ups. The site is based on the information available at the time of publication. As the energy class depends on the specific product configuration, despite the efforts made to ensure the greatest possible accuracy, the real data can differ significantly from the data declared here. For further information, we invite you to consult the European Product Database for Energy Labelling (EPREL) or to contact our Sales Office.