

NORDICLINE IS7 - 200

NordicLine / Island

Frozen Horizontal, Vertical and Semivertical



BEST ENERGY CLASS*



Product Categories



Cheese


Delicatessen

Frozen Food
and Ice
cream

Meat

Chicken

Technical Features



Electric
defrost

High
efficiency
fans

LED lighting

R744

Remote
condensing
unit

Ventilated

NORDICLINE IS7 - 200

NordicLine / Island

Frozen Horizontal, Vertical and Semivertical



Product Range


Product dim. variant	Length [mm]	Depth [mm]	Height [mm]*	Volume [dm ³] (side blow_single well)	TDA [m ²] (side blow_single well)
IS7-200-90-CE (EOL)	1980	1075	900	646	2,75
IS7-200-90-188	1875	1980	900	1275	4,12
IS7-200-90-250	2500	1980	900	1700	5.58
IS7-200-90-375	3750	1980	900	2550	8,39
IS7-150-90-CE (EOL)	1480	1070	900	476	**

NORDICLINE IS7 - 200


NordicLine / Island

Frozen Horizontal, Vertical and Semivertical


Cross Sections



IS7-200 - FLAT VERSION



IS7-200 - EOL



IS7-200-90-250-F-cross-section-curved-lids-115mm copia

*The information on the energy class (according to EU regulations 2019/2018 and EU 2019/2024) reported here refers to standard models and precise product configurations and set-ups. The site is based on the information available at the time of publication. As the energy class depends on the specific product configuration, despite the efforts made to ensure the greatest possible accuracy, the real data can differ significantly from the data declared here. For further information, we invite you to consult the European Product Database for Energy Labelling (EPREL) or to contact our Sales Office.