

NORDICLINE MD3 E-VISIO

NordicLine / Multideck


Chilled Vertical and Semivertical



BEST ENERGY CLASS*



Product Categories



Dairy
products



Drinks

Technical Features



High
efficiency
fans




LED lighting



Off-cycle
defrost



R744



Remote
condensing
unit



Ventilated

NORDICLINE MD3 E-VISIO

NordicLine / Multideck

Chilled Vertical and Semivertical

Product Range


NordicLine MD3 e-Visio	
External length (mm)	1250, 2500
External height (mm)	2010, 2210
External depth (mm)	1460
Temperature range (°C)	+2 to +4 °C
Refrigerants	R744 (CO2)
Energy efficiency class	

NORDICLINE MD3 E-VISIO


NordicLine / Multideck

Chilled Vertical and Semivertical

Cross Sections



MD3 30-148-221



MD3 30-148-201

*The information on the energy class (according to EU regulations 2019/2018 and EU 2019/2024) reported here refers to standard models and precise product configurations and set-ups. The site is based on the information available at the time of publication. As the energy class depends on the specific product configuration, despite the efforts made to ensure the greatest possible accuracy, the real data can differ significantly from the data declared here. For further information, we invite you to consult the European Product Database for Energy Labelling (EPREL) or to contact our Sales Office.