

NORDICLINE VF1 LUXO

NordicLine / Multideck

Frozen Horizontal, Vertical and Semivertical



BEST ENERGY CLASS*



Product Categories



Frozen Food
and Ice
cream

Technical Features




High
efficiency
fans



LED lighting



R744



Remote
condensing
unit



Ventilated



Medium
and low
temperature



Hot-gas
defrosting
system



Electric
defrost

Follow us on:     by Epta

www.costan.com

NORDICLINE VF1 LUXO

NordicLine / Multideck

Frozen Horizontal, Vertical and Semivertical

Product Range

NordicLine VF1 Luxo	
External length (mm)	795, 1565, 2345, 3125, 3890
External height (mm)	2010, 2210
External depth (mm)	1000
Temperature range (°C)	-23 to -21
Refrigerants	R744 (CO2)
Energy efficiency class	


NORDICLINE VF1 LUXO

NordicLine / Multideck


Frozen Horizontal, Vertical and Semivertical



Cross Sections



VF1_M1548E_1 copia



KPĻĻĻĻĻĻ PCS DOORS	ST. DĻĻĻĻĻĻ ST. TUREN	L1 mm	L2 mm
1		795	895
2		1565	1665
3		2345	2445
4		3125	3225
5		3900	4000

VF1_M1548E_DOORS

*The information on the energy class (according to EU regulations 2019/2018 and EU 2019/2024) reported here refers to standard models and precise product configurations and set-ups. The site is based on the information available at the time of publication. As the energy class depends on the specific product configuration, despite the efforts made to ensure the greatest possible accuracy, the real data can differ significantly from the data declared here. For further information, we invite you to consult the European Product Database for Energy Labelling (EPREL) or to contact our Sales Office.