

VALZER ULTRA

SlimFit



Product categories



Frozen Food
and Ice cream

Technical features



Incorporated
condensing unit



LED lighting



High efficiency
fans



Hot-gas
defrosting
system



Propane
refrigerant gas
(R290)



Product range

| VALZER ULTRA | | | | | |
|---|----------------|------------------|------------------|------------------|------------------|
| Lenght -Lunghezza Longueur-Länge-Longitud mm | | | 1250 - 2D | 1875 - 3D | 2500 - 4D |
| VALZER ULTRA | | | • | • | • |
| | | ENDS | | | |
| Dispaly area Superficie di esposizione Warenpräsentationsfläche Surface d'exposition Superficie expositiva m2 | COMPACT | BLIND/NO | 1.931 | 2.896 | 3.861 |
| | | PANORAMIC | 3.194 | 4.159 | 5.134 |
| Loading area Superficie di appoggio Nutzfläche Surface de chargement Superficie de apoyo m2 | COMPACT | | 0.96 | 1.44 | 1.86 |
| | | | 1.13 | 1.66 | 2.19 |
| Net storage capacity Capacità netta Nutzinhalt volume utile Capacitat neta dm3 | COMPACT | | 790 | 1180 | 1570 |
| | | | 970 | 1460 | 1950 |
| End thickness Spessore spalla Stärke der Seitenwand Épaisseur de cheque joue Espesor lateral mm | | | 30.00 | | |

