



Chilled vertical cabinets GRANVALDAJ



Product categories



Technical features







| GRANVALDAJ | | | | | | |
|---|--|-------------|-------------|-------------|-------------|---|
| Lenght -Lunghezza Longueur-Länge-Longitud mm | | 1250 | 1875 | 2500 | 3750 | EOL 1810 |
| Height -Altezza-Hauteur-Höhe-Altura mm | | H15 | H15 | H15 | H15 | H15 |
| GRANVADAJ | Compact | • | • | • | • | |
| | Narrow | • | • | • | • | • |
| Display area Superficie di esposizione Warenpräsentationsfläche Surface d'exposition Superficie expositiva m2 | Compact | 1,35 | 2,00 | 2,70 | 4,05 | |
| | Narrow | 1,35 | 2,00 | 2,70 | 4,05 | 2.81 |
| Loading area Superficie di appoggio Nutzfläche Surface de chargement Superficie de apoyo m2 | Compact | 0,92 | 1,35 | 1,85 | 2,75 | |
| | Narrow | 1.10 | 1,65 | 2,2 | 3,3 | 1,68 |
| End thickness Spessore spalla Stärke der Seitenwand Épaisseur de cheque joue Espesor lateral mm | 21.00 (+ 35 Batticarrello/Bumper Rail/Pare-choc/Wagenstoßleiste/Parachoques) | | | | | 42.00 (+ 35 Batticarrello Bumper Rail/Pare-choc Wagenstoßleiste Parachoques) |



COMPACT



NARROW





Legend

| | | | |
|--|--|--|---|
|  Meat |  Chicken |  Fish |  Pre-packed fish |
|  Delicatessen |  Cheese |  Dairy products |  Gastronomy |
|  Pastries |  Pre-packed fruit and vegetables |  Fruits and Vegetables |  Sandwiches |
|  Drinks |  Pizza |  Bread |  Frozen food and ice cream |
|  Off-cycle defrost |  Electric defrost |  Hot-gas defrosting system |  Manual defrost |
|  Ventilated |  Static |  Incorporated condensing unit |  Remote condensing unit |
|  Bagnomaria |  Ceramic glass |  Ice |  VSD Inverter technology |
|  LED lighting |  Zero C doors |  High efficiency fans |  R290 Propane refrigerant gas (R290) |
|  R134a - 400V/3PH/50Hz |  R404A - 400V/3PH/50Hz |  R744 - 400V/PH/50Hz |  Compressor hermetic reciprocating |
|  Hermetic scroll compressor |  Semi-hermetic reciprocating compressor |  VSD Inverter technology |  External installation |
|  Machinery room |  Soundproof housing |  On board condenser |  Remote condenser |
|  DUAL Medium & Low temperature |  Technokleen |  Thin Tech |  EB |