

TANGO BIO

SlimFit / Multideck
Integral




BEST ENERGY CLASS*



Product Categories




Technical Features



Product Range

TANGO BIO			
Length -Lunghezza Longueur-Länge-Longitud mm	1250 - 2P	1875 - 3P	2500 - 4P
TANGO BIO	.	.	.
Display area Superficie di esposizione Warenpräsentationsfläche Surface d'exposition Superficie expositiva m2	1.788	2.682	3.576
Loading area Superficie di appoggio Nutzfläche Surface de chargement Superficie de apoyo m2	0.96	1.41	1.86
Net storage capacity Capacità netta Nutzinhalt volume utile Capacidad neta dm3	790.00	1180.00	1570.00
End thickness Spessore spalla Stärke der Seitenwand Épaisseur de chaque joue Espesor lateral mm	30.00		

Cross Sections



TANGO NEXT COMPACT

*The information on the energy class (according to EU regulations 2019/2018 and EU 2019/2024) reported here refers to standard models and precise product configurations and set-ups. The site is based on the information available at the time of publication. As the energy class depends on the specific product configuration, despite the efforts made to ensure the greatest possible accuracy, the real data can differ significantly from the data declared here. For further information, we invite you to consult the European Product Database for Energy Labelling (EPREL) or to contact our Sales Office.