


VELVET C-N INTEGRAL

OutFit / Serve-over counters
Integral - Serve-over



BEST ENERGY CLASS*




Product Categories




Meat




Chicken



Delicatessen



Cheese



Dairy
products



Gastronomy


Technical Features



Off-cycle
defrost



Ventilated



Incorporated
condensing
unit



LED lighting



High
efficiency
fans



Propane
refrigerant
gas (R290)

VELVET C-N INTEGRAL

OutFit / Serve-over counters

Integral - Serve-over



Certification and Patents



Epta
Adamant



TechnoKleen

Product Range


VELVET C-N INTEGRAL													
Length-Lunghezza Longueur-Länge-Longitud mm		STUDIO				STYLE				DESIGN			
		937	1250	1875		937	1250	1875		937	1250	1875	
RDB	C	•	•	•		•	•	•		•	•	•	
	N	•	•	•		•	•	•		•	•	•	
RDA	C	•	•	•		•	•	•		•	•	•	
	N	•	•	•		•	•	•		•	•	•	
WO	C	•	•	•		•	•	•		•	•	•	
	N	•	•	•		•	•	•		•	•	•	
Display area Superficie di esposizione Warenpräsentationsfläche Surface d'exposition Superficie expositiva m2/ml	C	0.75											
	N	0.85											
Loading area Superficie di appoggio Nutzfläche Surface de chargement Superficie de apoyo m2/ml	C	1.01											
	N	1.08											

RDB-RDA-WO 937, 1875, 2500: con scorrevoli posteriori/with sliding lids/avec coulissants
LS 937, 1250, 1875, 2500: con tenda notte/with night blind/avec rideaux de nuit

VELVET C-N INTEGRAL


OutFit / Serve-over counters
Integral - Serve-over

Cross Sections




* except length 1250

Velvet Integral C-N Style WO




* except length 1250

Velvet Integral C-N Style RDB




* except length 1250

Velvet Integral C-N Style RDA




* except length 1250

Velvet Integral C-N Design RDA



* except length 1250

Velvet Integral C-N Design RDB




* except length 1250

Velvet Integral C-N Design WO


VELVET C-N INTEGRAL

OutFit / Serve-over counters


Integral - Serve-over



Velvet Integral C-N Studio RDB



Velvet Integral C-N Studio RDA



Velvet Integral C-N Studio WO

*The information on the energy class (according to EU regulations 2019/2018 and EU 2019/2024) reported here refers to standard models and precise product configurations and set-ups. The site is based on the information available at the time of publication. As the energy class depends on the specific product configuration, despite the efforts made to ensure the greatest possible accuracy, the real data can differ significantly from the data declared here. For further information, we invite you to consult the European Product Database for Energy Labelling (EPREL) or to contact our Sales Office.