

VELVET L STYLE

OutFit / Serve-over counters

Serve-over



BEST ENERGY CLASS*




Product Categories




Meat




Chicken



Delicatessen



Cheese



Dairy
products



Gastronomy



Pastries


Technical Features



Off-cycle
defrost



Ventilated



Remote
condensing
unit



LED lighting



High
efficiency
fans

VELVET L STYLE

OutFit / Serve-over counters

Serve-over

Certification and Patents



Eurovent



TechnoKleen



Epta
Adamant

Product Range


VELVET L STYLE							
Length-Lunghezza Longueur-Länge-Longitud mm	937	1250	2500	3750	MAA 90°	MAA 45°	MAC 45°
RDB	•	•	•	•			
RDA	•	•	•	•	•	•	
WO	•	•	•	•		•	•
RCB	•	•	•	•	•	•	•
RCA	•	•	•	•	•	•	•
LS	•	•	•	•	•	•	•
Display area Superficie di esposizione Warenpräsentationsfläche Surface d'exposition Superficie espositiva m2/ml	0.95						
Loading area Superficie di appoggio Nutzfläche Surface de chargement Superficie de apoyo m2/ml	1.21						
End thickness Spessore spalla Stärke der Seitenwand Épaisseur de cheue joue Espesor lateral mm	55.00						

VELVET L STYLE


OutFit / Serve-over counters

Serve-over


Cross Sections




Velvet L Style con Piedi RCA



Velvet L Style con Piedi LS-D



Velvet L Style RCA




Velvet L Style WO


VELVET L STYLE

OutFit / Serve-over counters


Serve-over




Velvet L Style con Piedi LS-U




Velvet L Style con Piedi LS-C




Velvet L Style con Piedi WO



Velvet L Style LS-D



Velvet L Style LS-U




Velvet L Style RCB


VELVET L STYLE

OutFit / Serve-over counters


Serve-over




Velvet L Style con Piedi RCB



Velvet L Style RDA



Velvet L Style LS-C




Velvet L Style con Piedi RDA


VELVET L STYLE

OutFit / Serve-over counters

Serve-over



Velvet L Style con Piedi RDB



Velvet L Style RDB

*The information on the energy class (according to EU regulations 2019/2018 and EU 2019/2024) reported here refers to standard models and precise product configurations and set-ups. The site is based on the information available at the time of publication. As the energy class depends on the specific product configuration, despite the efforts made to ensure the greatest possible accuracy, the real data can differ significantly from the data declared here. For further information, we invite you to consult the European Product Database for Energy Labelling (EPREL) or to contact our Sales Office.