


VELVET N FISH

OutFit / Serve-over counters


Serve-over



Product Categories



Fish



Pre-packed
fish


Technical Features



Off-cycle
defrost



Ventilated



Remote
condensing
unit



LED lighting



High
efficiency
fans

VELVET N FISH

OutFit / Serve-over counters

Serve-over

Certification and Patents



Epta
Adamant



TechnoKleen

Product Range

VELVET N FISH								
Length-Lunghezza Longueur-Länge-Longitud mm	937	1250	1875	2500	3750	MAA 90°	MAA 45°	MAC 45°
RDB*	•	•	•	•	•			
RDA	•	•	•	•	•	•	•	
WO	•	•	•	•	•		•	•
RBDP*	•	•	•	•	•	•	•	•
CONV-D	•	•	•	•	•			
RCB*	•	•	•	•	•	•	•	•
RCA	•	•	•	•	•	•	•	•
LS-U	•	•	•	•	•	•	•	•
LS-C	•	•	•	•	•	•	•	•
Display area Superficie di esposizione Warenpräsentationsfläche Surface d'exposition Superficie expositiva m2/ml	0.85							
Loading area Superficie di appoggio Nutzfläche Surface de chargement Superficie de apoyo m2/ml	1.08							
End thickness Spessore spalla Stärke der Seitenwand Épaisseur de cheue joue Espesor lateral mm	35.00 - 50.00							

*Not recommended due to the difficulty in loading and unloading of ice and fish, as well as the associated cleaning activities

*Sconsigliato a causa della difficoltà di carico e scarico di ghiaccio e pesce, nonché delle relative attività di pulizia

*Nicht empfohlen aufgrund der Schwierigkeit beim Be- und Entladen von Eis und Fisch sowie den damit verbundenen Reinigungsarbeiten

*Déconseillé parce que les opérations de chargement et de déchargement de la glace et du poisson, ainsi que les activités de nettoyage, ne sont pas confortables.


*No se recomienda, porque la carga y descarga del hielo y del pescado, así como las tareas de limpieza, no son cómodas.

VELVET N FISH


OutFit / Serve-over counters

Serve-over

Cross Sections



SERVE OVER VERSION



SELF SERVICE VERSION