

VELVET N SV

OutFit / Serve-over counters

Serve-over



BEST ENERGY CLASS*




NEW **DESIGN EVOLUTION** VERSION


Product Categories



Cheese



Dairy
products



Delicatessen




Gastronomy



Meat



Pastries



Pre-packed
fish



Pre-packed
fruit and
vegetables



Chicken

Technical Features



Electric
defrost



High
efficiency
fans



LED lighting



Remote
condensing
unit



Ventilated

VELVET N SV

OutFit / Serve-over counters

Serve-over

Certification and Patents



Eurovent



TechnoKleen



Epta
Adamant

Product Range





VELVET SV		
Length -Lunghezza Longueur-Länge-Longitud mm	1300	1500
1250	•	•
1875	•	•
2500	•	•
3750	•	•
Display area Superficie di esposizione Warenpräsentationsfläche Surface d'exposition Superficie expositiva m2/ml	1.26	1.57
Loading area Superficie di appoggio Nutzfläche Surface de chargement Superficie de apoyo m2/ml	1.08	
End thickness Spessore spalla Stärke der Seitenwand Épaisseur de cheue joue Espesor lateral mm	55.00 Style-Studio / 35.00 Design	

VELVET N SV

OutFit / Serve-over counters

Serve-over


Cross Sections




VELVET N SV

OutFit / Serve-over counters


Serve-over




Velvet SV_1500 Style 450 3p



Velvet SV_1500 Style Legs 450 3P



Velvet SV_1500 Studio 210 2p




Velvet SV_1500 Design 210 2p


VELVET N SV

OutFit / Serve-over counters


Serve-over




Velvet SV_1300 Style Legs 210 2p



Velvet SV_1500 Studio 450 2p



Velvet SV_1500 Style Legs 210 3p




Velvet SV_1500 Style Legs 450 2p


VELVET N SV

OutFit / Serve-over counters


Serve-over




Velvet SV_1300 Design 210 1p



Velvet SV_1300 Design 210 2p



Velvet SV_1500 Studio 210 3p




Velvet SV_1500 Style Legs 210 2p


VELVET N SV

OutFit / Serve-over counters


Serve-over




Sezione RN3-X01 SV_1500_Style_210_3P



Velvet SV_1500 Style 210 2p



Velvet SV_1300 Studio 210 2p




Velvet SV_1500 Design 210 3p


VELVET N SV

OutFit / Serve-over counters


Serve-over




Velvet SV_1500 Style 450 2p



Velvet SV_1500 Design 450 2p



Velvet SV_1500 Design 450 3p



Velvet SV_1300 Style Legs 210 1p

*The information on the energy class (according to EU regulations 2019/2018 and EU 2019/2024) reported here refers to standard models and precise product configurations and set-ups. The site is based on the information available at the time of publication. As the energy class depends on the specific product configuration, despite the efforts made to ensure the greatest possible accuracy, the real data can differ significantly from the data declared here. For further information, we invite you to consult the European Product Database for Energy Labelling (EPREL) or to contact our Sales Office.